

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A digital camera having an image forming device configured to image a subject by a setup exposure condition and a digital image processing device configured to convert imaging data from the image forming device into a digital image, the digital camera comprising:

a setup device configured to set up a plurality of exposure conditions,  
an imaging data obtaining device configured to obtain a plurality of imaging data imaged in accordance with the plurality of exposure conditions set by the setup device, and  
a sharpness comparison device configured to compare sharpness based on the plurality of imaging data obtained by the imaging data obtaining device, and to determine whether a difference in sharpness of the plurality of imaging data ~~is caused by~~ indicates a shake of the digital camera or a movement of the subject based on the compared sharpness.

Claim 2 (Currently Amended): The digital camera according to Claim 1, further comprising:

a handshake preventing exposure time output device configured to output an exposure time for preventing a blur in an image caused by ~~[[a]]~~ the shake of the digital camera based on a focal length of a photographic lens in the image forming device,  
wherein an existence of the camera shake is determined based on the exposure time output by the handshake preventing exposure time output device.

Claim 3 (Currently Amended): The digital camera according to Claim 2, further comprising:

a warning device configured to warn of the shake of the digital camera when the existence of [[a]] the shake of the digital camera is determined.

Claim 4 (Currently Amended): The digital camera according to Claim 2, wherein when the existence of [[a]] the shake of the digital camera is determined, a predetermined exposure time while recording a still image is shortened, and a strobe is flashed in accordance with shortening the predetermined exposure time.

Claim 5 (Previously Presented): The digital camera according to Claim 2, wherein when a movement of the subject is determined to exist, a sensitivity for increasing the output of the imaging data while recording a still image is increased.

Claim 6 (Previously Presented): The digital camera according to Claim 1, further comprising:

a display device configured to display an image processed by the digital image processing device,

wherein a display time to the display device is made constant regardless of an exposure time in the image forming device.

Claim 7 (Previously Presented): The digital camera according to Claim 2, further comprising:

a display device configured to display an image processed by the digital image processing device,

wherein a display time to the display device is made constant regardless of an exposure time in the image forming device.

Claim 8 (Previously Presented): The digital camera according to Claim 3, further comprising:

a display device configured to display an image processed by the digital image processing device,

wherein a display time to the display device is made constant regardless of an exposure time in the image forming device.

Claim 9 (Previously Presented): The digital camera according to Claim 4, further comprising:

a display device configured to display an image processed by the digital image processing device,

wherein a display time to the display device is made constant regardless of an exposure time in the image forming device.

Claim 10 (Previously Presented): The digital camera according to Claim 5, further comprising:

a display device configured to display an image processed by the digital image processing device,

wherein a display time to the display device is made constant regardless of an exposure time in the image forming device.